

Adjusted by:

E-mail:

Tel:

Date:

Save the form to the desktop and open it with Adobe Reader.

The price changes depending on the choices made in the form £:

Standard configuration includes; chassis, seat, calf strap, backrest lock, standard colour option, backrest, carbon rear axle, castor and fork, titanium foot rest or foldable footplates, push to lock S3 brake, Panthera crosslaced steel spoke rear wheel, titanium pushrims and Schwalbe right Run tires.

**Choice required:**

Max. user weights : Seat width 33-42 cm 100 kg, seat width 45 cm 150 kg

Click on "[blue underlined text](#)" for more info or image

**Original design**



**1) Chassis**

[U3](#) £2678 Seat width **33-45** cm Seat depth 40 cm

Clear



**2) Chassis colour**

**Black**- Anodic Black

**Gray** -Metallic Gray

Clear



**3) Seat width**

33 cm  36 cm  39 cm  42 cm  45 cm

Clear

**4) Seat depth**

40 cm

Clear



**5) Back rest Height (HH)** [INFO](#)

[Standard](#)  20 cm  35 cm  [For fixed backrest](#)

523BBHH VER2  25 cm  40 cm

Clear  30 cm  45 cm

Clear



**6) Rear axle**

[Carbon std](#) 33023BB  [Carbon +15 mm](#) 33023BC\* \* seat width BB+1  [Other](#) rear axle or seat height

Clear Use this rear axle when choosing arm support at Accessories and/or increased seat height [Increase the seat height](#) +0 mm



**7) Castor and fork** [art.no.](#)

[90 mm](#)

[120 mm](#)  [150 mm](#)

Clear



**8) Footrest**

[Footrest Titanium](#) 36001BB  [Titanium, extended, reinforced](#)\* 36111BB \* std for S3 Large  [Carbon footplate](#) 65050BB

[Footrest U-shape, small heel bar](#) 3600134 (width 33)  [Foldable footplates;](#) [art.no.](#)

Clear  [Heel strap for footplates](#)

[Plastic plate for footrest](#) 36010BB



**9) Brake**

[Brake S3](#) 4630000

Clear

All prices for rear wheels are for pair



### 10) Rear wheel - without pushrim

[Rear wheel sizes](#)

- [24" std](#) [art.no.](#)
- 22" [standard](#)
- Clear



### Tyre

- [Schwalbe Right Run](#) 22", 24", 25", 26"
- Clear



### 11) Pushrim

- [Titanium](#)  
190DD11 (x2 / wheelchair)
- Clear
- [Aluminum X](#)  
1904404 x2 (04=24", 05=25", 06=26")

DD=Wheel diameter

### Accessories

#### Side guard [art.no.](#)

- [Side guard S3](#)  
[video](#)
- Clear



#### Anti-Tip [Video](#)

- [Anti-tip](#) std seat height  
4353000

- Clear

[Other seat height](#)

Art.no.



## Set-up adjustments



### Back rest angle

Note measure (A) for desired back rest angle.  
14-28 mm. Standard = 20 mm

A=  mm



### Rear axle adjustment

Note measure (A) for desired balance  
Standard = 60 mm. at raised rear axle = 51 mm


A=  mm



### Footrest height - Foot plates

Note measure (A) and (B) for desired footrest

A=  mm    B=  mm



## Extra